

Riista- ja kalatalouden tutkimuslaitos Kainuun kalantutkimus

Referoidut tieteelliset artikkelit 1990-2008

1. Huusko, A., van der Meer, O. & Koljonen, ML. 1990. Life history patterns and genetic differences in brown trout (*Salmo trutta* L.) in the Koutajoki river system. Pol. Arch. Hydrobiol. 37(1-2), 63-77.
2. Heikinheimo-Schmid, O. & Huusko, A. 1990. A plan for fisheries management of the heavily modified Lake Kemijärvi, northern Finland. In: W. L. T. van Densen, B. Steinmetz & R. H. Hughes (Eds.). Management of freshwater fisheries. Proceedings of a symposium organized by the European Inland Fisheries Advisory Commission, Göteborg, Sweden, 31 May- 3 June 1988. Pudoc. Wageningen. pp. 53-66.
3. Salojärvi, K. & Huusko, A. 1990. Results of whitefish (*Coregonus lavaretus* L. s.l.) fingerling stocking in the lower part of the Sotkamo water course, northern Finland. Aquaculture and Fisheries Management 21. p. 229-244.
4. Hyvärinen, P. and Salojärvi, K. 1991. The applicability of catch per unit effort (CPUE) statistics in fisheries management in Lake Oulujärvi, Northern Finland. In Catch Effort Sampling Strategies. I.G.Cowx (ed.). Fishing news books. p. 241-261.
5. Pursiainen, M. & Erkamo, E. 1991: Low Temperatures as Limiting Factor for the Noble Crayfish (*Astacus astacus*) populations. - Finnish Fisheries Research 12: 179-185.
6. Huusko, A. & Sutela, T. 1992. Fish predation on vendace (*Coregonus albula* L.) larvae in Lake Lentua, Northern Finland. Pol. Arch. Hydrobiol. 39, p. 381-391.
7. Pursiainen, M. 1992: Environmental limitations. - Proceedings of FAO-EIFAC Symposium on Production Enhancement in Still Water Pond Culture. Prague, 15-18 May, 1990. Vol II: 418-422.
8. Pursiainen, M. & Westman, K. 1992: The restoration of the crayfish (*Astacus astacus*) in Rivers Siikajoki and Tiilikanjoki. - Finnish Fish. Res. 14.
9. Auvinen, H., Vuorimies, O. & Huusko, A. 1992. Forecasting and management of vendace (*Coregonus albula* L.) stocks in Lake Lentua, Northern Finland. Pol. Arch. Hydrobiol. 39, p. 789-795.
10. Huusko, A. & Korhonen, P. 1993. Population densities of young stages of the brown trout (*Salmo trutta* L.) in the Oulankajoki river system. Oulanka Reports 12, p. 125-127.
11. Koljonen, ML. & Huusko, A. 1993. Genetic variation of brown trout stocks in the Koutajoki river system. Oulanka Reports 12, p. 129-132.

12. Mäki-Petäys, A., Muotka, T., Tikkanen, P., Huusko, A., Kreivi, P. & Kuusela, K. 1993. Ontogenetic changes in microhabitat selection by brown trout in the river Kuusinkijoki. Oulanka Reports 12, p. 121.
13. Vehanen, T., Aspi, J. and Pasanen, P. 1993. The effect of size, fin erosion, body silvering and precocious maturation on recaptures in Carlin tagged Baltic salmon (*Salmo salar* L.). Ann. Zool. Fennici. 30. p. 277-285.
14. Sutela, T. & Huusko, A. 1994. Digestion of zooplankton in the alimentary tract of vendace (*Coregonus albula* L.) larvae. J. Fish. Biol. 44, p. 591-596.
15. Sutela, T. & Huusko, A. 1995: Impacts of water level regulation on the early life of vendace (*Coregonus albula* L.). - In: Luczynski, M. (ed.): Biology and Management of Coregonid Fishes. International Symposium on Biology and Management of Coregonid Fishes 1993. - Archiv für Hydrobiologie Special Issues Advances in Limnology 46:465-472.
16. Vehanen, T. 1995. Factors influencing the yield of brown trout, *Salmo trutta* m. *lacustris* L., in northern Finnish lakes. Fisheries Management and Ecology 2. 121-134.
17. Salmi, P. & Huusko, A. 1995. Vendace (*Coregonus albula* (L.)) winter seine fishing in the Kuusamo area, northern Finland, with implications on stock dynamics. Arch. Hydrobiol. Spec. Issues Advanc. Limnol. 46, p. 369-377.
18. Sutela, T. & Huusko, A. 1995. Impacts of water level regulation on the early life of vendace (*Coregonus albula* L.). Arch. Hydrobiol. Spec. Issues Advanc. Limnol. 46, p. 465-472.
19. Huusko, A. & Yrjänä, T. 1995. Evaluating habitat restoration of rivers channelized for log transport: a case study of the river Kutinjoki, northern Finland. Bull. Fr. Peche Piscic 337/338/339, p. 407-413.
20. Huusko, A., Vuorimies, O. & Sutela, T. 1996. Temperature- and light-mediated predation by perch on vendace larvae. Journal of Fish Biology 49, p. 441-457.
21. Kuusela, K. & Huusko, A. 1996. Postemergence migration of stoneflies (*Plecoptera*) into the nearby forest. Ecological Entomology 21, p. 171-177.
22. Huusko, A. & Yrjänä, T. 1996. Effects of Instream enhancement structures on brown trout habitat availability in a channelized boreal river: a PHABSIM approach. Proceedings of 2th International symposium on Habitat Hydraulics, Quebec, June 1996. Volume B., p. 619-630.
23. Vehanen, T. ja Aspi, J. 1996. Classification of northern Finnish lakes and the suitability for the stocking for brown trout (*Salmo trutta* L. m. *lacustris*). Fisheries Research 27. 37-49.
24. Muotka, T., Mäki-Petäys, A. & Kreivi, P. 1996. Spatial Relations Between Lotic Fishes, Benthic Macroinvertebrates and the Stream Habitat: Toward to a GIS-Assisted Approach. Ecohydraulics 2000. Proceedings of 2nd International Symposium on Habitat Hydraulics, Quebec, June 1996. Volume B. 45-54.

25. Vehanen, T., Hyvärinen, P. ja Mäki-Petäys, A. 1996. Fish migration from two large regulated lakes to outcoming rivers monitored by hydroacoustics. Ecohydraulics 2000. Proceedings of 2nd International Symposium on Habitat Hydraulics, Quebec, June 1996. Volume B. 967-968.
26. Vehanen, T. 1996. Fish and fisheries in large regulated peaking-power river reservoirs in northern Finland, with special reference to the efficiency of brown trout and rainbow trout stocking. Regulated Rivers; Research and Management 12-6.
27. Ruuhijärvi, J. and Hyvärinen, P. 1996. The status of pike-perch culture in Finland. J.Appl.Ichtyol. 12 (1996), 185-188..
28. Huusko, A. & Sutela, T. 1997. Minnow *Phoxinus phoxinus* predation on vendace *Coregonus albula* larvae: intersection of prey phenologies and size-based interaction. Journal of Fish Biology 50, p. 965-977.
29. Huusko, A. & Yrjänä, T. 1997. Effects of instream enhancement structures on brown trout, *Salmo trutta*, habitat availability in a channelized boreal river: a PHABSIM approach. Fisheries Management and Ecology 4, p. 453-466..
30. Mäki-Petäys A., Muotka T., Huusko A., Tikkanen P. & Kreivi P. 1997. Seasonal changes in microhabitat use and preference by juvenile brown trout *Salmo trutta* in a northern boreal river. Canadian Journal of Fisheries and Aquatic Sciences 54, p. 520-530.
31. Sutela, T. & Huusko, A. 1997. Food consumption of vendace (*Coregonus albula*) larvae in Lake Lentua. Journal of Fish Biology 51, p. 939-951.
32. Vehanen, T. Hyvärinen P. & Huusko A. 1998. Food consumption and prey orientation of piscivorous brown trout (*Salmo trutta*) and pikeperch (*Stizostedion lucioperca*) in a large regulated lake. J Appl Ichtyol. 14 (1998), 15-22.
33. Vehanen, T. Hyvärinen, P. & Aspi, J. 1998. Dispersion of stocked brown trout, *Salmo trutta m. Lacustris* (L.), and landlocked salmon, *Salmo Salar* L, from stocking sites in Lake Oulujärvi, Finland. Fisheries Management and Ecology 1998, 5, 177-188.
34. Vehanen, T. Hyvärinen, P. & Mäkipetäys, A. 1998. Downstream fish migration from two regulated lakes monitored by hydroacoustics. Fisheries Management and Ecology 1998, 5, 107-121.
35. Huusko, A. & Sutela, T. 1998. Diel feeding periodicity and influence of food availability and environmental factors on food intake of vendace (*Coregonus albula* (L.)) larvae. Ecology of Freshwater Fish 7, p. 69-77.
36. Sutela, T. & Huusko, A. 1998. Prey selection and the amount of edible food available for vendace (*Coregonus albula* (L.)) larvae in Lake Lentua. Archiv für Hydrobiologie, Special Issues in Advanced Limnologie 50, p. 39-48.
37. Sutela, T. & Huusko, A. 1998. Catch, costs and management opinions of anglers in three rivers in NE Finland. In: Hickley, P. & Tompkins, H. (eds.) Recreational Fisheries. Social,

economic and management aspects. Fishing News Book. Blackwell Science Ltd. Oxford. Pp.129-141.

38. Vehanen, T. 1998. Ecological factors affecting the success of piscivorous salmonid (*Salmo*) stocking. Acta Universitatis Ouluensis A 303. 36 p.
39. Huusko, A. 1998. Exploration of potential mechanisms regulating survival in the larval stage of vendace. A piece of the vendace recruitment puzzle. Acta Universitatis Ouluensis. A 309, p. 1-39.
40. Sutela, T. 1998. Feeding of coregonid larvae and digestive degradation of prey zooplankton. Application of a gut segment method. Acta Universitatis Ouluensis. A 314, p. 1- 29.
41. Mäki-Petäys, A. 1999. Habitat requirements of juvenile salmonids. Towards ecologically-based fisheries management in boreal streams. Acta Universitatis Ouluensis. A 322, p. 1-29.
42. Muotka, T., Mäki-Petäys, A., Kreivi, P., Högmander, H. 1999. Spatial associations between lotic fish, macroinvertebrate prey and the stream habitat: a multi-scale approach. Boreal Environment Research 3: 371-380.
43. Vehanen, T., Mäki-Petäys, A., Aspi, J., Muotka, T. 1999. Intercohort competition causes spatial segregation in brown trout in artificial streams. Journal of Fish Biology 55(1):35-46.
44. Vehanen, T., Riihimäki, J. 1999. Integrating environmental characteristics and fisheries management in northern Finland river impoundments. Environmental Management 23(4):551-558.
45. Kreivi, P., Muotka, T., Huusko, A., Mäki-Petäys, A. Huhta, A & Meissner, K. 1999. Diel feeding periodicity, daily ration and prey selectivity in juvenile brown trout, *Salmo trutta*, in a subarctic river. Journal of Fish Biology 55, p. 553-571.
46. Mäki-Petäys, A., Muotka, T., Huusko, A. 1999. Densities of juvenile brown trout (*Salmo trutta*) in two subarctic rivers: assessing the predictive capability of habitat preference indices. Canadian Journal of Fisheries and Aquatic Sciences 56(8):1420-1427.
47. Huusko, A., Jurvelius, J., Louhimo, J. 1999. Characterizing the pelagic fish assemblage in Lake Paanajärvi: scarce stocks and large individuals. Fennia 177(1):37-43.
48. Hyvärinen, P., Sutela, T., Korhonen, P. 2000. Combining fishery prohibition with stocking of landlocked salmon, *Salmo salar* L.: an effort to gain bigger yield and individual size. Fisheries Management and Ecology 7(6):503-514.
49. Sutela, T., Huusko, A. 2000. Varying resistance of zooplankton prey to digestion: Implications for quantifying larval fish diets. Transactions of the American Fisheries Society 129(2):545-551.
50. Vehanen, T., Bjerke, P. L., Heggenes, J., Huusko, A., Mäki-Petäys, A. 2000. Effect of fluctuating flow and temperature on cover type selection and behaviour by juvenile brown trout in artificial flumes. Journal of Fish Biology 56(4):923-937.

51. Vehanen, T., Huusko, A., Yrjänä, T., Kylmänen, I., Sirniö, V-P & Lahti, M. 2000. Habitat restoration in large hydropeaking impoundments in Finland: problems and solutions. Proceedings of an International conference: Protection and restoration of the environment V. Thassos, Greece. Volume II, p. 683-690.
52. Mäki-Petäys, A., Vehanen, T., Muotka, T. 2000. Microhabitat use by age-0 brown trout and grayling: Seasonal responses to streambed restoration under different flows. Transactions of the American Fisheries Society 129(3):771-781.
53. Romakkaniemi, A., Lilja, J., Nykänen, M., Marjomäki, T. & Jurvelius, J. 2000. Spawning run of Atlantic salmon (*Salmo salar*) in the River Tornionjoki monitored by horizontal splitbeam echosounding. Aquatic Living Resources 13:1-6.
54. Niva, T. & Hyvärinen, P. 2001. Evacuation Rates of Coded Wire Tags Implanted in Prey of Northern Pike. North American Journal of Fisheries Management 21:692-695.
55. Kylmänen, I., Huusko, A., Vehanen, T. & Sirniö, V-P. 2001. Aquatic habitat mapping by the ground-penetrating radar. In: Nishida, T., Kailola, P.J. & Hollingworth, C.E. (eds.): Proceedings of the first Symposium on Geographic Information Systems (GIS) in fishery science. Seattle, Washington, U.S.A. 2-4 March 1999. 186-194.
56. Harby, A., Alfredsen, K.T., Fjelstad, H.P., Halleraker, J.H., Arnekleiv, J.V., Borsanyi, P., Flodmark, L.E.W., Saltveit, S.J., Johansen, S.W., Vehanen, T., Huusko, A., Clarke, K. & Scruton, D. A. 2001. Ecological impacts of hydro peaking in rivers. Proceedings of the 4th International Conference on Hydropower (Hydropower 2001). 20-22 June 2001, Bergen, Norway. 8 pp.
57. Nykänen, M. & Korhonen, P. 2001. Diet and growth of post-emergent grayling (*Thymallus thymallus* L.) in three boreal rivers. Oulanka Reports 25:29-31.
58. Nykänen, M., Huusko, A. & Mäki-Petäys, A. 2001. Seasonal changes in the habitat use and movements of adult European grayling in a large subarctic river. Journal of Fish Biology 58: 506-519.
59. Mäki-Petäys, A., Huusko, A., Kreivi, P. & Muotka, T. 2001. Comparative habitat use by juvenile brown trout (*Salmo trutta* L.) and sculpin (*Cottus poecilopus* Heckel). Oulanka Reports 25, p. 27.
60. Sutela, T. & Hyvärinen, P. 2002. Diet and growth of stocked and wild 0+ pikeperch, *Stizostedion lucioperca* (L.). Fisheries Management and Ecology 9, 57-63.
61. Vehanen, T., Marttunen, M., Tervo, H., Kylmälä, P. & Hyvärinen, P. 2002 Management of fisheries in a large lake – for fish and fishermen. In: Cowx, I.G. (ed.) Management and Ecology of Lake and Reservoir Fisheries. Fishing News Books Blackwell. 299-311.
62. Vehanen, T. & Huusko, A. 2002. Behaviour and habitat use of young-of-the-year Atlantic salmon (*Salmo salar*) at the onset of winter in artificial streams. Archiv für Hydrobiologie 154. 133-150.

63. Nykänen, M. & Huusko, A. 2002. Suitability criteria for spawning habitat of riverine European grayling. *Journal of Fish Biology* 60:1351-1354.
64. Mäki-Petäys, A., Huusko, A., Erkinaro, J., Muotka, T. 2002. Transferability of habitat suitability criteria of juvenile Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 59(2):218-228.
65. Sutela, T., Huusko, A., Karjalainen, J., Auvinen, H., Viljanen, M. 2002. Feeding success of vendace (*Coregonus albula* (L.)) larvae in littoral and pelagic zones. *Archiv für Hydrobiologie. Special Issues. Advances in Limnology* 57:487-495.
66. Karjalainen, J., Helminen, H., Huusko, A., Huuskonen, H., Marjomäki, T. J., Pääkkönen, J.-P., Sarvala, J., Viljanen, M. 2002. Littoral-pelagic distribution of newly-hatched vendace and European whitefish larvae in Finnish lakes. *Archiv für Hydrobiologie. Special Issues. Advances in Limnology* 57:367-382.
67. Rahkonen, R., Koski, P., Shinn, A. P., Wootten, R., Valtonen, E. T., Rahkonen, M., Mannermaa-Keränen, A. L., Suomalainen, L. R., Rintamäki-Kinnunen, P., Lankinen, Y., Rahkonen R., Jämsä, K., Konttinen, E., Kannel, R., Grant, A., Marshall, J., Hunter, R., Pykkö, P., Eskelinen, P. 2002. Post malachite green: Alternative strategies for fungal infections and white spot disease. *Bulletin of the European Association of Fish Pathologists* 22(2):152-157.
68. Hyvärinen, P. & Vehanen, T. 2003. Length at release affects movement and recapture of lake-stocked brown trout. *North American Journal of Fisheries Management* 23:1125-1134.
69. Nykänen, M., Huusko, A. 2003. Size-related changes in habitat selection by larval grayling (*Thymallus thymallus* L.). *Ecology of Freshwater Fish* 12(2):127-133.
70. Vehanen, T., Huusko, A., Yrjänä, T., Lahti, M., Mäki-Petäys, A. 2003. Habitat preference by grayling (*Thymallus thymallus*) in an artificially modified, hydropeaking riverbed: a contribution to understand the effectiveness of habitat enhancement measures. *Journal of Applied Ichthyology* 19(1):15-20.
71. Vehanen, T. & Lahti, M. 2003. Movements and habitat use by pikeperch (*Stizostedion lucioperca* (L.)) in a hydropeaking reservoir. *Ecology of Freshwater Fish* 12. 203-215.
72. Vehanen, T. 2003. Adaptive flexibility in the behavior of juvenile Atlantic salmon: short-term responses to food availability and threat from predation. *Journal of Fish Biology* 63. 1034-1045.
73. Hyvärinen, P., Heinimaa, S. & Rita H. 2004. Effects of abrupt cold shock on stress responses and recovery in brown trout exhausted by swimming. *Journal of Fish Biology* 64:1015-1026. doi:10.1111/j.1095-8649.2004.00367.x
74. Hyvärinen, P. & Vehanen, T. 2004. Effect of brown trout body size on post-stocking survival and pike predation. *Ecology of Freshwater Fish* 13: 77-84.
75. Nykänen, M. 2004. Habitat selection by riverine grayling, *Thymallus thymallus* L. *Jyväskylä studies and environmental science* 140., p. 1-40.

76. Hyvärinen, P. 2004. Determining the optimal release window for lake-stocked brown trout – interactions between release size, prey availability, predation risks and fishing mortality. p 1-31. <http://ethesis.helsinki.fi/>
77. Marttunen, M. & Vehanen, T. 2004. Toward adaptive management: The impacts of different management strategies on fish stocks and fisheries in a large regulated lake. *Environmental Management* 33, 840 – 854.
78. Vehanen, T. & Hamari, S. 2004. Predation threat affects behaviour and habitat use by hatchery brown trout (*Salmo trutta* L.) juveniles. *Hydrobiologia* 525, 229-237
79. Vehanen, T., Huusko, A., Mäki-Petys, A., Kreivi, P., Tuominen, S.-M. & Muotka, T. 2004. A six-year study to investigate the effects of river restoration on brown trout in streams – project presentation and preliminary results. Proceedings of the Fifth International Symposium on Ecohydraulics, September 12-17, 2004, Madrid, Spain. Vol. 1. 548-552.
80. Marjomäki, T. J., Auvinen, H., Helminen, H., Huusko, A., Sarvala, J., Valkeajärvi, P., Vijanen, M., Karjalainen, J. 2004. Spatial synchrony in the inter-annual population variation of vendace (*Coregonus albula* (L.)) in Finnish lakes. *Annales Zoologici Fennici* 41(1): 25-240.
81. Nykänen, M., Huusko, A. 2004. Transferability of habitat preference criteria for larval European grayling (*Thymallus thymallus*). *Canadian Journal of Fisheries and Aquatic Sciences* 61(2): 185-192.
82. Nykänen, M., Huusko, A., Lahti, M. 2004. Changes in movement, range and habitat preferences of adult grayling from late summer to early winter. *Journal of Fish Biology* 64(5): 1386-1398.
83. Nykänen, M., Huusko, A., Lahti, M. 2004. Movements and habitat preferences of adult grayling (*Thymallus thymallus* L.) from late winter to summer in a boreal river. *Archiv für Hydrobiologie* 161(3): 417-432.
84. Mäki-Petäys, A., Erkinaro, J., Niemelä, E., Huusko, A., & Muotka, T. 2004. Spatial distribution of juvenile Atlantic salmon (*Salmo salar*) in a subarctic river: size-specific changes in a strongly seasonal environment. *Canadian Journal of Fisheries and Aquatic Sciences* 61: 2329-2338.
85. Huusko, A. & Hyvärinen, P. 2005. A high harvest rate induces a tendency to generation cycling in a freshwater fish population. *Journal of Animal Ecology* 74: 525-531.
86. Hyvärinen, P. & Huusko, A. 2005. Long-term variation in brown trout, *Salmo trutta* L., stocking success in a large lake: interplay between availability of suitable prey and size at release. *Ecology of Freshwater Fish* 14: 303-310.
87. Vehanen, T., Jurvelius, J. & Lahti, M. 2005. Local scale factors affect fish assemblage in a short-term regulated river reservoir. In Harby, A. et. al. (ed.): Proceedings, Final COST 626 meeting in Silkeborg, Denmark. 383-394.

88. Vehanen, T., Jurvelius, J., Lahti, M. 2005. Habitat utilisation by fish community in a short-term regulated river reservoir. *Hydrobiologia* 545(1):257-270.
89. Vehanen, T. 2006. Intra- and interspecific competition in hatchery landlocked salmon and brown trout in semi-natural streams. *Environmental Biology of Fishes* 76: 255-264.
90. Hyvärinen, P. & Huusko, A. 2006. Diet of brown trout in relation to variation in abundance and size of pelagic fish prey. *Journal of Fish Biology* 68: 87-98.
91. Vehanen, T., Hyvärinen, P., Johansson, K. & Laaksonen, T. 2006. Patterns of movement of adult northern pike (*Esox lucius* L.) in a regulated river. *Ecology of Freshwater Fish* 15: 154-260.
92. Hyvärinen, P., Suuronen, P. & Laaksonen, T. 2006. Short-term movements of wild and reared Atlantic salmon smolts in a brackish water estuary – preliminary study. *Fisheries Management and Ecology* 13: 399-401.
93. Huusko, Ari, Greenberg, Larry, Stickler, Morten, Linnansaari, Tommi, Nykänen, Mari, Vehanen, Teppo, Koljonen, Saija, Louhi, Pauliina & Alfredsen, Knut. 2007. Life in the ice lane: The winter ecology of stream salmonids. *River Research and Applications* 23(5):469-491.
94. Korsu, Kai, Huusko, Ari & Muotka, Timo. 2007. Niche characteristics explain the reciprocal invasion success of stream salmonids in different continents. *Proceedings of the National Academy of Sciences of the United States of America* 104(23):9725-9729.
95. Hyvärinen, P., Leppäniemi, V., Johansson, K., Korhonen, P. & Suuronen, P. 2008. Stress and survival of small pike-perch *Sander lucioperca* (L.) after trawling and chilling. *Journal of Fish Biology* 72: 2677-2688.
96. Sutela, T. & Vehanen, T. 2008. Effects of water-level regulation on the nearshore fish community in boreal lakes. *Hydrobiologia* 613: 13–20.
97. Sutela, T., Rask, M., Vehanen, T. & Westermark, A. 2008. Comparison of electrofishing and NORDIC gillnets for sampling littoral fish in boreal lakes. *Lakes & Reservoirs: Research and Management* 3: 215–220.
98. Saraniemi, M., Huusko, A. & Tahkola, H. 2008. Spawning migration and habitat use of adfluvial brown trout, *Salmo trutta*, in a strongly seasonal boreal river. *Boreal Environment Research* 13: 121-132
99. Korsu, K., Huusko, A. & Muotka, T. 2008. Ecology of alien species with special reference to stream salmonids. *Boreal Environment Research* 13, p. 43-52.
100. Vehanen, T., Huusko, A. & Hokki, R. 2009. Competition between hatchery-raised and wild brown trout *Salmo trutta* in enclosures – do hatchery releases have negative effects on wild populations? *Ecology of Freshwater Fish* (in print).